N K E Q Q as as as as -36aa-K L V S F aaa cta gtt tct ttt ttc ᄺ Spel got caa agt ato aac goo gog caa cac gat gaa goo gta gac aac aaa 区 Z  $\Box$ -35aa- $\triangleright$ tot cac aac tag tga gtc gac Ø SaIIE D R L S H gaa gac cgt tta tct cat 口 TER TER  $\Box$ 口 Z Ø Н K hSSAO(residues 29-763) mutated GST Ŋ K D -729aa--43aa-Z S ttg ttc caa ggt gga gat cgc gca  $\bigcirc$ Ø mouse IgG1 heavy chain signal peptide U Ø  $\alpha$ gcc **⊘**€@ Ø aaa gag 띠 ttc ctg atg gcg ď  $\bowtie$ CCa  $\boxtimes$ Д tct Н Ø Н ggt  $\mathcal{O}$ aac ttg cta Н -79aatca caa agt cag Ø z S 召 ctg cgg cct ata Ö Н Д S atg gat tgg tcc cct cca aag  $\geq$ S  $\bowtie$ 

aac gcg ø

z

 $\mathbf{\Sigma}$ 

Mul

Д

Д

Applicant(s): Lars Abrahmsén et al. METHODS FOR PROTEIN PURIFICATIONS




Fig. 2

Applicant(s): Lars Abrahmsén et al. METHODS FOR PROTEIN PURIFICATIONS




Fig. 3